



UNFINISHED SOLID FLOORING

SPECIFICATIONS

SPECIES	WHITE OAK RED OAK WALNUT HICKORY {End matched 2 ¼"-8" widths}
GRADES	1C 2C BONANZA CHARACTER CLEAR DURANGO FRONTIER MAVERICK SELECT/BETTER SILVERADO
GRAIN PATTERNS	RIFT & QUARTERED RIFT ONLY QUARTERED ONLY PLAIN SAWN
SURFACE	UNFINISHED DISTRESSED HAND-SCRAPED PILLOWED EDGES WIRE BRUSHED PLUGS ROUND SQUARE PRE-DRILLED OR INSTALLED
WIDTHS	2 1/4" - 11 1/2"
LENGTH	STANDARD 1-8' 2-10' SPECIAL 3'+ lengths with 5' average length 5'+ lengths with 7' average length {nominal lengths}
THICKNESS	¾"
STYLES	SINGLE STRIP HERRINGBONE CHEVRON RANDOM WIDTH
BEVEL	2 Sided (Standard 1/8" or Micro Bevel 1/16") 4 Sided (Standard 1/8" or Micro Bevel 1/16")
INSTALLATION	Please follow NOFMA/NWFA recommendations. Call 1-800-422-4556 or visit www.nwfa.org .
FSC	Certified Chain of Custody

INDIVIDUAL SPECIFICATIONS

RED OAK	Select/Better {R/Q RIFT QTD P/S} Character {R/Q or P/S}
WHITE OAK	Select/Better {R/Q RIFT QTD P/S} Character {R/Q or P/S}
WALNUT	Select/Better {R/Q P/S} Character {P/S}
HICKORY	Select/Better {P/S} Character {P/S}

GRADE SPECIFICATIONS

SELECT & BETTER Mostly heartwood with a minimum number of character marks and discoloration that provides a uniform appearance while allowing for natural color variations. *Average Length 3.25'*

1 COMMON Contains prominent variations in coloration and varying characters such as knots, mineral, and small checks. *Average Length 2.75'*

2 COMMON May contain sound natural variations of the forest product. Purpose is to furnish a solution for a utility use floor. *Average Length 2'*

MAVERICK Character grade contains Select, 1 Common & 2 Common. *Nested Length 2'-10' | Average Length 3.75'-4'*

SILVERADO Select & Better grade. *Bundle 3'+ | Average Length 5'*

BONANZA Select & Better grade. *Bundle 5'+ | Average Length 7'*

DURANGO Character grade contains Select, 1 Common & 2 Common. *Bundle 3'+ | Average Length 5'*

FRONTIER Character grade contains Select, 1 Common & 2 Common. *Bundle 5'+ | Average Length 7'*

CLEAR Mostly heartwood with a minimum number of character marks and discoloration, providing a uniform appearance while allowing for all heartwood natural color variations. *Bundle 1.75'+ | Average Length 3.75'*

STANDARD PACKAGING

		STD. LENGTH	AVG. LENGTH
WHITE OAK & RED OAK	Select & Better	1'-8'	3.25'
	1C	1'-8'	2.75'
	2C	1'-8'	1.25'
WALNUT	Select & Better	2'-10'	3.5'-4'
	Maverick (Character)	2'-10'	3.5'
HICKORY	Select & Better	2'-10'	3.5'

BUNDLE GUIDELINES

SOLID | 9' LONG

{ BUNDLE SIZE | 1'-8' }

WIDTH	SF/BOX	SF/PALLET	BOXES/PALLET
1.5	16	768	48
2¼	18	864	48
3	12	864	72
4	16	864	54
5	20	840	42
6	24	864	36
7	28	840	30
8	32	768	24

SOLID | 11' LONG

{ BUNDLE SIZE | 2'-10' }

WIDTH	SF/BOX	SF/PALLET	BOXES/PALLET
2¼	22.5	1,080	48
3	15	1,080	72
4	20	1,080	54
5	25	1,050	42
6	30	1,080	36
7	35	1,050	30
8	40	960	24